



Value Proposition

SO YOU'VE HEARD THAT VIDMAR OFFERS SOME OF THE WORLD'S TOUGHEST STORAGE SOLUTIONS. BUT BEYOND UNSURPASSED RUGGEDNESS, WHAT ARE THE "BIG BENEFITS" OF CHOOSING VIDMAR? FROM EXTREME SPACE SAVINGS TO INCREASED PRODUCTIVITY, VIDMAR IS THE ULTIMATE USE OF YOUR STORAGE SPACE.

Problem

Have your storage needs outgrown your existing footprint? Are you restricted by limited floor space? Is your inventory unorganized? Does it take you too long to find necessary parts? Do you need to lock and secure valuable equipment? If any of these scenarios sound familiar, Vidmar has your solution.

Solution

Vidmar improves every aspect of your workspace with integrated storage systems engineered specifically for your needs. Ergonomic workstations increase employee safety. Adjustable pallet racking can be managed by one operator in as little as two minutes for inventory of various size and shape. And just two high-density drawer cabinets with custom-configured compartments store the same amount of material as five open shelving units. Simply put, Vidmar makes the most of your storage space.

Benefits

Inventory is given specific, identifiable locations, all within easy reach and full view, meaning fast, efficient retrieval. This allows resources to be redeployed to other areas within the facility for greater productivity and throughput.

Enclosed cabinet storage safeguards against dust, dirt, damage, and loss with locked and secure drawers—your sensitive inventory is never compromised.

And as your storage requirements evolve, Vidmar is right there with you providing flexible modular storage solutions that can be infinitely expanded as your needs change.

"All of the parts are in one place, and the high-dollar electronics are securely locked. Everything is easier to locate and the adjustability of the drawers is priceless. This was one of the smartest investments we could have ever made in the department," says Dallas Volvo Truck Center parts manager Mitch Leone.






Vidmar "Big Benefits"



Value Proposition



Leverage Your Vertical Space






BEFORE








Industry Applications



Manufacturing

Industry Applications



Automotive

Automotive





Government





Agriculture







15 Drawers 15 Drawers 336 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 711 lbs. (323 kg.) Shipping Weight



15 Drawers 360 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 709 lbs. (322 kg.) Shipping Weight




SEP3026AL 14 Drawers 300 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 688 lbs. (312 kg.) Shipping Weight

EYE LEVEL HEIGHT

Model 340 59 in. (1499 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





SCU3026AL 14 Drawers 320 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 686 lbs. (311 kg.) Shipping Weight




SEP3039AL 13 Drawers 256 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 7 in. (178 mm) 656 lbs. (298 kg.) Shipping Weight



RP3039AL 13 Drawers 256 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 7 in. (178 mm) 646 lbs. (293 kg.) Shipping Weight





SEP3047AL 12 Drawers 224 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 628 lbs. (285 kg.) Shipping Weight



SEP3054AL 12 Drawers 244 Compartments Usable Drawer Heights 3 in. (76 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 626 lbs. (284 kg.) Shipping Weight



SCU3047AL 12 Drawers 248 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 626 lbs. (284 kg.) Shipping Weight



RP3092AL 11 Drawers 200 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 594 lbs. (269 kg.) Shipping Weight



RP3098AL 11 Drawers 204 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 591 lbs. (268 kg.) Shipping Weight



RP3404AL 11 Drawers 275 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 569 lbs. (258 kg.) Shipping Weight



SCU3079AL 11 Drawers 224 Compartments Usable Drawer Heights 3 in.(76 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 562 lbs. (255 kg.) Shipping Weight



SCU3067AL 11 Drawers 216 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 565 lbs. (256 kg.) Shipping Weight



SEP3306AL 11 Drawers 192 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 596 lbs. (270 kg.) Shipping Weight



SCU3306AL 11 Drawers 216 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 592 lbs. (269 kg.) Shipping Weight



SEP3062AL 11 Drawers 192 Compartments Usable Drawer Heights 3-7/8 in (198 mm) 4-5/8 in (117 mm) 594lbs. (269 kg.) Shipping Weight



SCU3062AL 11 Drawers 220 Compartments Usable Drawer Heights 3-7/8 in (98 mm) 4-5/8 in (117 mm) 593 lbs. (269 kg.) Shipping Weight



RP3406AL 10 Drawers 163 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 2-1/4 in. (57 mm) 7 in. (178 mm) 5-3/8 in. (137 mm) 558 lbs. (253 kg.) Shipping Weight



SEP3110AL 10 Drawers 164 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 569 lbs. (258 kg.) Shipping Weight



SEP3126AL 10 Drawers 164 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 565 lbs. (256 kg.) Shipping Weight







10 Drawers 184 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 567 lbs. (257 kg.) Shipping Weight



10 Drawers 192 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 535 lbs. (243 kg.) Shipping Weight




SCU3126AL 10 Drawers 188 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 563 lbs. (255 kg.) Shipping Weight

EYE LEVEL HEIGHT CONTINUED

Model 340

59 in. (1499 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





SEP3140AL 9 Drawers 9 Drawers 144 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 6-1/4 in. (159 mm) 536 lbs. (243 kg.) Shipping Weight



9 Drawers 140 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 538 lbs. (244 kg.) Shipping Weight



SCU3144AL 9 Drawers 9 Drawers 156 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 536 lbs. (243 kg.) Shipping Weight






SEP3155AL 9 Drawers 144 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 2-1/4 in. (37 mm) 3-7/8 in.(98 mm) 7 in. (178 mm) 11-3/4 in. (292 mm) 529 lbs. (240 kg.) Shipping Weight



SCU3352AL 9 Drawers 152 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) (140 h) Chimin W 529 lbs. (240 kg.) Shipping Weight



SEP3352AL 9 Drawers 9 Drawers 128 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) (200 heights) 529 lbs. (240 kg.) Shipping Weight





8 Drawers 112 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 6-1/4 in. (159 mm) 508 lbs. (230 kg.) Shipping Weight



SEP3163AL 8 Drawers 104 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 508 lbs. (230 kg.) Shipping Weight



SCU3163AL 8 Drawers 120 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 504 lbs. (229 kg.) Shipping Weight



SEP3371AL 8 Drawers 100 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 480 lbs. (218 kg.) Shipping Weight



7 Drawers 80 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 472 lbs. (214 kg.) Shipping Weight



40

50


50

50

50

50


88 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 470 lbs. (213 kg.) Shipping Weight



96 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 463 lbs. (210 kg.) Shipping Weight



SEP3203AL 6 Drawers 64 Compartments Usable Drawer Heights 6-1/4 in. (159 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 11-3/4 in. (292 mm) 436 lbs. (198 kg.) Shipping Weight









SEP3214AL SEF3214AL 5 Drawers 37 Compartments Usable Drawer Heights 7 in. (178 mm) 8-1/2 in. (216 mm) 10-1/8 in. (257 mm) 13-1/4 in. (337 mm) 392 lbs. (178 kg.) Shipping Weight



SEP3219AL 4 Drawers 29 Compartments Usable Drawer Heights 11-3/4 in. (292 mm) 13-1/4 in. (337 mm) 357 lbs. (162 kg.) Shipping Weight

CABINETS







SEP2004AL 11 Drawers 248 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 547 Ibs. (248 kg.) Shipping Weight








COUNTER HEIGHT

Model 245

44 in. (1118 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).



		1
	•	
30		68
30		68
30		68
30		68
30		68
30		68
30		68
35		68

SCU2029AL 8 Drawers 160 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 455 lbs. (206 kg.) Shipping Weight



SEP2029AL 8 Drawers 144 Compartments Usable Drawer Heights 3-7/8 in (117 mm) 4-578 in (117 mm) 457 lbs. (207 kg.) Shipping Weight



SEP2037AL 8 Drawers 144 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 8-1/2 in. (216 mm) 456 lbs. (207 kg.) Shipping Weight





SCU2041AL 7 Drawers 140 Compartments Usable Drawer Height 4-5/8 in (117 mm) 415 lbs. (188 kg.) Shipping Weight



SEP2041AL 7 Drawers 120 Compartments Usable Drawer Height 4-5/8 in (117 mm) 417 lbs. (189 kg.) Shipping Weight



SEP2058AL 7 Drawers 120 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 10-1/8 in. (257 mm) 420 lbs. (191 kg.) Shipping Weight

EIGHT



127 Urawers 128 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 425 lbs. (193 kg.) Shipping Weight



132 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 8-1/2 in. (216 mm) 408 lbs. (185 kg.) Shipping Weight



114 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 419 lbs. (190 kg.) Shipping Weight



RP2112AL 6 Drawers 98 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 10-1/8 in. (257 mm) 397 lbs. (180 kg.) Shipping Weight



RP2113AL 6 Drawers 78 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 390 lbs. (177 kg.) Shipping Weight



SCU2066AL 6 Drawers 96 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 392 lbs. (178 kg.) Shipping Weight



SEP2066AL 6 Dravers 84 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 395 lbs. (179 kg.) Shipping Weight



SCU2070AL 5 Drawers 76 Compartments Usable Drawer Heights 6-1/4 in. (159 mm) 7 in. (178 mm) 360 lbs. (163 kg.) Shipping Weight



SCU2076AL 4 Drawers 48 Compartments Usable Drawer Heights 6-1/4 in. (159 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 13-1/4 in. (337 mm) 326 lbs. (148 kg.) Shipping Weight



SEP2076AL 4 Drawers 44 Compartments Usable Drawer Heights 6-1/4 in. (159 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 13-1/4 in. (337 mm) 330 lbs. (150 kg.) Shipping Weight



SCU2079AL 3 Drawers 27 Compartments Usable Drawer Heights 10-7/8 in. (276 mm) 11-3/4 in. (317 mm) 282 lbs. (128 kg.) Shipping Weight




SEP2079AL 3 Drawers 17 Compartments Usable Drawer Heights 10-7/8 in. (276 mm) 11-3/4 in. (337 mm) 13-1/4 in. (337 mm) 285 lbs. (129 kg.) Shipping Weight













SEP1905AL 7 Drawers 140 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 387 lbs. (176 kg.) Shipping Weight

STAND-UP HEIGHT

Model 200

37 in. (940 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).

50	108 108
Refer to Drawer Model Number	Refer to Drawer Loading Diagram
would wurnber	Loaung Diagram

30 58 30 58 30 58 30 58 40 58 40 58

SCU1910AL 6 Drawers 144 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 379 lbs. (172 kg.) Shipping Weight



SCU1915AL 5 Drawers 80 Compartments Usable Drawer Height 5-3/8 in. (137 mm) 339 lbs. (154 kg.) Shipping Weight



SCU1917AL 5 Drawers 84 Compartments 84 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 335 lbs. (152 kg.) Shipping Weight





SCU1918AL 5 Drawers 88 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 11-3/4 in. (292 mm) 330 lbs. (150 kg.) Shipping Weight



SCU1920AL 4 Drawers 48 Compartments Usable Drawer Height 7 in. (178 mm) 309 lbs. (140 kg.) Shipping Weight




SCU1927AL 2 Drawers 48 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 245 lbs. (111 kg.) Shipping Weight





SEP1001AL 7 Drawers 152 Compartments Usable Drawer Height 3 in. (76 mm) 388 lbs. (176 kg.) Shipping Weight



SEP1002AL 7 Drawers 140 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 392 lbs. (178 kg.) Shipping Weight




SEP1004AL 6 Drawers 108 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 7 in. (178 mm) 361 lbs. (164 kg.) Shipping Weight

BENCH AND WORKSTATION HEIGHT

Model 175

33 in. (838 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





SEP1016AL 5 Drawers 92 Compartments Usable Drawer Heights 3 in. (76 mm) 3-7/8 in.(98 mm) 6-1/4 in. (159 mm) 7 in. (178 mm) 333 lbs. (151 kg.) Shipping Weight



SCU1004AL 6 Drawers 124 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 7 in. (178 mm) 385 lbs. (175 kg.) Shipping Weight



SEP1019AL 5 Drawers 84 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 5-3/8 in. (137 mm) 6-1/4 in. (159 mm) 7 in. (178 mm) 333 lbs. (151 kg.) Shipping Weight



SEP1023AL 5 Drawers 92 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 334 lbs. (152 kg.) Shipping Weight



SCU1012AL 5 Drawers 92 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 6-1/4 in. (159 mm) 330 lbs. (150 kg.) Shipping Weight



SCU1023AL 5 Drawers 96 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 330 lbs. (150 kg.) Shipping Weight





SCU1010AL 5 Drawers 100 Compartments Usable Drawer Height 4-5/8 in (117 mm) 313 Ibs. (142 kg.) Shipping Weight



SEP1031AL 4 Drawers 56 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 6-1/4 in. (159 mm) 304 lbs. (138 kg.) Shipping Weight



SCU1043AL 3 Drawers 36 Compartments Usable Drawer Heights 6-1/4 in. (159 mm) 8-1/2 in. (216 mm) 10-1/8 in. (257 mm) 267 lbs. (121 kg.) Shipping Weight



SCU1072AL 3 Drawers 40 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 10-7/8 in. (276 mm) 11-3/4 in. (318 mm) 258 lbs. (117 kg.) Shipping Weight



SEP1045AL 2 Drawers 16 Compartments Usable Drawer Heights 12-1/2 in. (318 mm) 13-1/4 in. (337 mm) 231 lbs. (105 kg.) Shipping Weight



SD175LH1 Left hinge SD175RH1 Right hinge 2 Shelves 186 lbs. (84 kg.) Shipping Weight







SEP1401AL 6 Drawers 136 Compartments Usable Drawer Heights 3 in (76mm) 3-7/8 in (98mm) 295 lbs (133 kg) Shipping Weight



SEP1402AL 6 Drawers 132 Compartments Usable Drawer Heights 2-1/4 in (57mm) 3 in (76mm) 6 -1/4 in (259 mm) 298 lbs (135 kg) Shipping Weight




SEP1411AL 3 Drawers 40 Compartments Usable Drawer Heights 4-5/8 in (117 mm) 8-1/2 in (216 mm) 219 lbs (99 kg) Shipping Weight

BENCH AND WORKSTATION HEIGHT

Model 155 30 in (762 mm) high

30 in (762 mm) wide 27-3/4 in (705 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





SEP1405AL 4 Drawers 68 Compartments Usable Drawer Heights 2-1/4 in (57 mm) 3-7/8 in (17 mm) 4-5/8 in (117 mm) 10-1/8 in 257 mm) 246 lbs (111 kg) Shipping Weight



SEP1404AL 4 Drawers 56 Compartments Usable Drawer Heights 4-5/8 in (117 mm) 5-3/8 in (137 mm) 255 lbs (115 kg) Shipping Weight



SEP1406AL 3 Drawers 28 Compartments Usable Drawer Heights 7 in (178 mm) 7-3/4 in (197 mm) 219 Ibs (99 kg) Shipping Weight



SEP1407AL 2 Drawers 16 Compartments Usable Drawer Heights 10-7/8 in (276 mm) 11-3/4 in (318 mm) 184 lbs (83kg) Shipping Weight







SCU1701AL 5 Drawers 112 Compartments Usable Drawer Heights 3 in (76 mm) 3-7/8 in (98 mm) 265 lbs (120 kg) Shipping Weight



SCU1702AL 3 Drawers 80 Compartments Usable Drawer Heights 3-7/8 in (198 mm) 4-5/8 in (117 mm) 244 Ibs (110kg) Shipping Weight




SCU1705AL 3 Drawers 48 Compartments Usable Drawer Heights 3-7/8 in (98 mm) 10-7/8 in (276 mm) 212 Ibs (96 kg) Shipping Weight

BENCH AND WORKSTATION HEIGHT

Model 135

27 in (686 mm) high 30 in (762 mm) wide 27-3/4 in (705 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





SCU1704AL 3 Drawers 48 Compartments Usable Drawer Heights 2-1/4 in (57mm) 7 in (178 mm) 10-1/8 in (257 mm) 209 lbs (94 kg) Shipping Weights



SCU1703AL 3 Drawers 48 Compartments Usable Drawer Heights 6-1/4 in (159 mm) 217 Ibs (98 kg) Shipping Weight



SCU1707AL 2 Drawers 16 Compartments Usable Drawer Heights 9-3/8 in (235 mm) 10-1/8 in (257 mm) 178 lbs (80 kg) Shipping Weight

DRAWER INTERIORS FOR PRECONFIGURED CABINETS

Standard Loading Diagrams

• 28 proven drawer interiors





LD3232 1 Compartment 25-1/8 in. x 25-1/8 in. (638 mm x 638 mm)



LD48 32 Compartments 25/8 in. x 6-1/8 in. (67 mm x 156 mm)



LD65 30 Compartments 4-1/4 in. x 3-7/8 in. (108 mm x 98 mm)



LD510

18 Compartments 3-1/2 in. x 7-7/8 in.

(89 mm x 200 mm)

LD56

30 Compartments 3-1/2 in. x 4-5/8 in.

(89 mm x 117 mm)

LD68

20 Compartments

4-1/4 in. x 6-1/8 in. (108 mm x 156 mm)

LD810

12 Compartments 5-7/8 in. x 7-7/8 in.

(149 mm x 200 mm)

BN-12 12 Bins: (4) 6-1/8 in. x 12 in. (156 mm x 305 mm)

(8) 6-1/8 in. x 6-1/8 in (156 mm x 156 mm)

BN-64 64 Bins:

(64) 3 in. x 3 in. (76 mm x 76 mm)

LD46 40 Compartments 2-5/8 in. x 4-5/8 in. (67 mm x 117 mm)



LD54 48 Compartments 3-1/2 in. x 2-7/8 in. (89 mm x 73 mm)



LD66 Compartments 4-1/4 in. x 4-5/8 in. (108 mm x 117 mm)



LD88 16 Compartments 5-7/8 in. x 6-1/8 in.



12-1/4 in. x 7-7/8 in. (311 mm x 200 mm)



(32) 3 in. x 6-1/8 in. (76 mm x 156 mm)



LD516 12 Compartments 3-1/2 in. x 12-1/2 in. (89 mm x 318 mm)



LD58 Compartments 3-1/2 in. x 6-1/8 in. (89 mm x 156 mm)



LD610 Compartments 4-1/4 in. x 7-7/8 in. (108 mm x 200 mm)



LD816 8 Compartments 5-7/8 in. x 12-1/2 in (149 mm x 318 mm)



BN-16 16 Bins: (16) 6-1/8 in. x 6-1/8 in. (156 mm x 156 mm)



PS70 2 Hanging File Compartments 12-1/4 in. x 25-1/8 in. (311 mm x 638 mm)



BN-48 48 Bins (32) 3 in. x 3 in. (76 mm x 76 mm) (16) 3 in. x 6-1/8 in. (76 mm x 156 mm)



LD84 32 Compartments 5-7/8 in. x 2-7/8 in. (149 mm x 73 mm)



LD108 12 Compartments 7-1/2 in. x 6-1/8 in. (191 mm x 156 mm)

LD168

8 Compartments

12-1/4 in. x 6-1/8 in. (311 mm x 156 mm)

LD85

24 Compartments 5-7/8 in. x 3-7/8 in.

(149 mm x 98 mm)

LD1010

9 Compartments 7-1/2 in. x 7-7/8 in.

(191 mm x 200 mm)

LD86 20 Compartments 5-7/8 in. x 4-5/8 in. (149 mm x 117 mm)



LD1016 6 Compartments 7-1/2 in. x 12-1/2 in. (191 mm x 318 mm)



BN-24 24 Bins: (8) 6-1/8 in. x 6-1/8 in. (156 mm x 156 mm) (16) 3 in. x 6-1/8 in. (76 mm x 156 mm)



LD1610 6 Compartments



BN-32 32 Bins:







RP1144AL 33 in. (838 mm) High 7 Drawers 105 Compartments Usable Drawer Height 3 in. (76 mm) 306 lbs. (139 kg.) Shipping Weight



RP1145AL 33 in. (838 mm) High 6 Drawers 90 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 7 in. (178 mm) 290 lbs. (135 kg.) Shipping Weight




RP1138AL 33 in. (838 mm) High 5 Drawers 72 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 266 lbs. (121 kg.) Shipping Weight

SHALLOW DEPTH

30 in. (762 mm) wide 21-3/8 in. (543 mm) deep Available in all standard heights

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





RP1941AL 37 in. (940 mm) High 8 Drawers 132 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 432 lbs. (196 kg.) Shipping Weight



RP1942AL 37 in. (940 mm) High 6 Drawers 87 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 377 lbs. (171 kg.) Shipping Weight



RP2144AL 44 in. (1118 mm) High 7 Drawers 89 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 334 lbs. (152 kg.) Shipping Weight



30 35 40 40 50 50 **RP2145AL** 44 in. (1118 mm) High





RP3504AL 59 in. (1499 mm) High 9 Drawers 117 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 440 lbs. (200 kg.) Shipping Weight



59 in. (1499 mm) High 5 Drawers 42 Compartments Usable Drawer Heights 7 in. (178 mm) 8-1/2 in. (216 mm) 10-1/8 in. (257 mm) 13-1/4 in. (337 mm) 323 lbs. (147 kg.) Shipping Weight

DRAWER INTERIORS FOR PRECONFIGURED SHALLOW DEPTH CABINETS

Shallow Depth Loading Diagrams



LDLW46 32 Compartments 2-5/8 in. x 4-1/2 in. (67 mm x 114 mm)



LDLW56 24 Compartments 3-1/2 in. x 4-1/2 in. (89 mm x 114 mm)



LDLW58 18 Compartments 3-1/2 in. x 6-1/8 in. (89 mm x 156 mm)





LDLW68 15 Compartments 4-1/4 in. x 6-1/8 in. (108 mm x 156 mm)



LDLW512 12 Compartments 3-1/2 in. x 9-1/4 in. (89 mm x 235 mm)



LDLW64 30 Compartments 4-1/2 in. x 2-7/8 in. (114 mm x 73 mm)



LDLW66 20 Compartments 4-1/4 in. x 4-1/2 in. (108 mm x 114 mm)



LDLW86 16 Compartments 5-7/8 in. x 4-1/2 in. (149 mm x 114 mm)



LDLW88 12 Compartments 5-7/8 in. x 6-1/8 in. (149 mm x 156 mm)



LDLW812 8 Compartments 5-7/8 in. x 9-1/4 in. (149 mm x 235 mm)



LDLW168 6 Compartments 12-1/2 in. x 6-1/8 in. (318 mm x 156 mm)



LDLW612

10 Compartments 4-1/4 in. x 9-1/4 in.

(108 mm x 235 mm)

LDLW106 12 Compartments 7-1/2 in. x 4-1/2 in. (191 mm x 114 mm)



LDLW1612 4 Compartments 12-1/2 in. x 9-1/4 in. (318 mm x 235 mm)



LDLW84

24 Compartments 5-7/8 in. x 2-7/8 in. (149 mm x 73 mm)

LDLW108 9 Compartments 7-1/2 in. x 6-1/8 in. (191 mm x 156 mm)



LDLW68L 16 Compartments 4-1/4 in. x 6-1/8 in. (108 mm x 156 mm)



LDLW1012 6 Compartments 7-1/2 in. x 9-1/4 in. (191 mm x 235 mm)



LDLW84L 24 Compartments 5-7/8 in. x 2-7/8 in. (149 mm x 73 mm)



LDLW166 8 Compartments 12-1/2 in. x 4-1/2 in. (318 mm x 114 mm)




LDLW88L 12 Compartments 5-7/8 in. x 6-1/8 in. (149 mm x 156 mm)







33 in. (838 mm) High Usable Drawer Height 3 in. (76 mm) 322 lbs. (146 kg.) Shipping Weight






5 Drawers 68 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 279 lbs. (127 kg.) Shipping Weight

SMALL VERSION

22-1/2 in. (572 mm) wide 27-3/4 in. (705 mm) deep Available in all standard heights.

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





RP1940AL 37 in. (940 mm) High 7 Drawers 100 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 343 lbs. (156 kg.) Shipping Weight




RP1939AL 37 in. (940 mm) High 6 Drawers 96 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 323 lbs. (147 kg.) Shipping Weight




RP2143AL 44 in. (1118 mm) High 6 Drawers 72 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 4-5/8 in. (117 mm) 5-3/8 in. (117 mm) 7 in. (178 mm) 339 lbs. (154 kg.) Shipping Weight






RP3501AL 59 in. (1499 mm) High 9 Drawers 120 Compartments Usable Drawer Heights 3-7/8 in. (98 mm 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 461 lbs. (209 kg.) Shipping Weight



RP3500AL 59 in. (1499 mm) High 8 Drawers 88 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 432 lbs. (196 kg.) Shipping Weight



RP3502AL 59 in. (1499 mm) High 7 Drawers 60 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 400 lbs. (181 kg.) Shipping Weight

DRAWER INTERIORS FOR PRECONFIGURED SMALL VERSION CABINETS

Small Version Loading Diagrams





LDSV54 32 Compartments 3-1/2 in. x 2-7/8 in. (89 mm x 73 mm)



LDSV510 12 Compartments 3-1/2 in. x 7-7/8 in. (89 mm x 200 mm)



LDSV78 12 Compartments 5-1/8 in. x 6-1/8 in. (130 mm x 156 mm)



LDSV116 10 Compartments 8-1/4 in. x 4-5/8 in. (210 mm x 117 mm)



LDSV532 4 Compartments 31/2 in. x 251/8 in. (89 mm x 638 mm)



LDSV710 9 Compartments 5-1/8 in. x 7-7/8 in. (130 mm x 200 mm)



LDSV118 8 Compartments 8-1/4 in. x 6-1/8 in. (210 mm x 156 mm)



LDSV56 20 Compartments 3-1/2 in. x 4-5/8 in. (89 mm x 117 mm)



LDSV74 24 Compartments 5-1/8 in. x 2-7/8 in. (130 mm x 73 mm)



LDSV732 3 Compartments 5-1/8 in. x 25-1/8 in. (130 mm x 638 mm)



LDSV1116 4 Compartments 8-1/4 in. x 12-1/2 in. (210 mm x 318 mm)



LDSV58 16 Compartments 3-1/2 in. x 6-1/8 in. (89 mm x 156 mm)



LDSV76 15 Compartments 5-1/8 in. x 4-5/8 in. (130 mm x 117 mm)




LDSV114 16 Compartments 8-1/4 in. x 2-7/8 in. (210 mm x 73 mm)



LDSV1132 2 Compartments 8-1/4 in. x 25-1/8 in. (210 mm x 638 mm)






Model Number Loading Diagram See page 19 for loading diagrams and page 29 for drawers.

Usable Drawer Heights 3-7/8 in. (98 mm) 4-5/8 in. (117 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 579 lbs. (263 kg.) Shipping Weight



RP3507AL 59 in. (1499 mm) High 4 Drawers 1 Roll out XWRS20 8 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 11-3/4 in. (292 mm) 492 lbs. (223 kg.) Shipping Weight



50

60

70

70

90

68

68

1010

46 48

108

108

128

128

128





RP3506AL 59 in. (1499 mm) High 9 Drawers 244 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 797 lbs. (362 kg.) Shipping Weight



DRAWER INTERIORS FOR PRECONFIGURED **EXTRA-WIDE CABINETS**

Extra-Wide Loading Diagrams

An "L" suffix added to the end of a loading diagram model number indicates that the partitions run left to right.



LDXW46 60 Compartments 2-5/8 in. x 4-5/8 in. (67 mm x 117 mm)

LDXW58 40 Compartments 3-1/2 in. x 6-1/8 in. (89 mm x 156 mm)

LDXW48 48 Compartments 2-5/8 in. x 6-1/8 in. (67 mm x 156 mm)



LDXW68 32 Compartments 4-1/4 in. x 6-1/8 in. (108 mm x 156 mm)



LDXW108 20 Compartments 7-1/2 in. x 6-1/8 in. (191 mm x 156 mm)

	-			-	
		-	-		
_	-				
	-				
		1000			

LDXW48L 48 Compartments 2-5/8 in. x 6-1/4 in. (67 mm x 159 mm) **CABINETS**



LDXWPS70

3 Hanging File Compartments 12-1/4 in. 18-3/4 in.

(311 mm x 476 mm)

LDXW128 16 Compartments 9 in. x 6-1/8 in. (228 mm x 156 mm)

LDXW1010 15 Compartments 7-1/2 in. x 7-7/8 in. (191 mm x 200 mm)

-		the state			
		-		10000	
1					
	-	-	-	_	
	-	-			

LDXW551L 6 Compartments 3-1/2 in. x 40-1/4 in. (89 mm x 1022 mm)

		(07 mm x 1022 mm)		(69 mm x 1022 mm)
LDXW58L 36 Compartments 3-1/2 in. x 6-1/4 in. (89 mm x 159 mm)	LDXW651L 5 Compartments 4-1/4 in. x 40-1/4 in. (108 mm x 1022 mm)	LDXW68L 30 Compartments 4-1/4 in. x 6-1/4 in. (108 mm x 159 mm)	LDXW84L 48 Compartments 5-7/8 in. x 3 in. (149 mm x 76 mm)	LDXW851L 4 Compartments 5-7/8 in. x 40-1/4 in. (149 mm x 1022 mm)
LDXW88L 24 Compartments 5-7/8 in. x 6-1/4 in. (149 mm x 159 mm)	LDXW1010L 15 Compartments 7-1/2 in. x 7-5/8 in. (191 mm x 194 mm)	LDXW1051L 3 Compartments 7-1/2 in. x 40-1/4 in. (191 mm x 1022 mm)	LDXW108L 18 Compartments 7-1/2 in. x 6-1/4 in. (191 mm x 159 mm)	LDXW1651L 2 Compartments 12-1/2 in. x 40-1/4 in. (318 mm x 1022 mm)

LDXW84 48 Compartments 5-7/8 in. x 2-7/8 in. (149 mm x 73 mm)



LDXW1016 10 Compartments 7-1/2 in. x 12-1/2 in. (191 mm x 318 mm)



LDXW88 24 Compartments 5-7/8 in. x 6-1/8 in. (149 mm x 156 mm)



LDXW46L 64 Compartments 2-5/8 in. x 4-5/8 in. (67 mm x 117 mm)




LDXW816

12 Compartments 5-7/8 in. x 12-1/2 in. (149 mm x 318 mm)

LDXW451L 8 Compartments 2-5/8 in. x 40-1/4 in. (67 mm x 1022 mm)

STANLEYVidmar.com	









RP3510AL 59 in. (1499 mm) High 5 Drawers 86 Compartments Usable Drawer Heights 7 in. (178 mm) 8-1/2 in. (216 mm) 10-1/8 in. (257 mm) 13-1/4 in. (337 mm) 725 lbs. (329 kg.) Shipping Weight



RP3512AL 59 in. (1499 mm) High 7 Drawers 208 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm) 893 lbs. (405 kg.) Shipping Weight



RP3509AL 59 in. (1499 mm) High 6 Drawers 144 Compartments Usable Drawer Heights 6-1/4 in. (159 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 11-3/4 in. (292 mm) 797 lbs. (362 kg.) Shipping Weight

DRAWER INTERIORS FOR PRECONFIGURED DOUBLE-WIDE CABINETS

Double-Wide Loading Diagrams

An "L" suffix added to the end of a loading diagram model number indicates that the partitions run left to right.



LDDW58 56 Compartments 3-1/2 in. x 6-1/8 in. (89 mm x 156 mm)



LDDW68 44 Compartments 4-1/4 in. x 6-1/8 in. (108 mm x 156 mm)



LDDW78 40 Compartments 5-1/8 in. x 6-1/8 in. (130 mm x 156 mm)



LDDW108 28 Compartments 7-1/2 in. x 6-1/8 in. (191 mm x 156 mm)



LDDW470L 8 Compartments 2-5/8 in. x 55-3/8 in. (67 mm x 1407 mm)



LDDW570L 6 Compartments 3-1/2 in. x 55-3/8 in. (89 mm x 1047 mm)



LDDW670L 5 Compartments 4-1/4 in. x 55-3/8 in. (108 mm x 1047 mm)

		 	 -
-		 	
-	 ******	 	 1

LDDW870L 4 Compartments 5-7/8 in. x 55-3/8 in. (149 mm x 1047 mm)



LDDW1070L 3 Compartments 7-1/2 in. x 55-3/8 in. (191 mm x 1047 mm)



LDDW1670L 2 Compartments 12-1/4 in. x 55-3/8 in. (311 mm x 1047 mm)







RP3520AL 59 in. (1499 mm) High 9 Drawers 183 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 637 lbs. (289 kg.) Shipping Weight









RP1171AL 33 in. (838 mm) High 6 Drawers 153 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 7 in. (178 mm) 377 lbs. (171 kg.) Shipping Weight

EXTRA-WIDE SHALLOW DEPTH

45 in. (1143 mm) wide 21-3/8 in. (543 mm) deep

To order cabinets without locks, delete the "L" suffix from the model number (example: SEP3014AL becomes SEP3014A).





DRAWER INTERIORS FOR PRECONFIGURED EXTRA-WIDE SHALLOW DEPTH CABINETS

Extra-Wide Shallow Depth Loading Diagrams



LDXL58 30 Compartments (27) 3-1/2 in. x 6-1/8 in. (89 mm x 156 mm) (3) 4-1/4 in. x 6-1/8 in. (108 mm x 156 mm)



LDXL68 24 Compartments 4-1/4 in. x 6-1/8 in. (108 mm x 156 mm)




LDXL128 12 Compartments 9 in. x 4-5/8 in. (229 mm x 118 mm)



LDXL88 18 Compartments 5-7/8 in. x 6-1/8 in. (149 mm x 156 mm)



LDXL108 15 Compartments 7-1/2 in. x 6-1/8 in. (191 mm x 156 mm)






Cabinets

Issue Counter




1. SELECT HOUSING FOOTPRINT:

For example: ST = 30" W x 27-3/4" D






Shallow Depth - LW










Extra-Wide Shallow Depth - XL



60" W

Double-Wide - DW



2. SELECT HOUSING HEIGHT:

For example: 0340 = 59" H The complete housing model number is ST0340



Desk (Model 0135) 27" (686mm)



Table (Model 0155) 30" (762mm)



Bench (Model 0175) 33" (838mm)



Standup Work (Model 0200) 37" (940mm)



Counter (Model 0245) 44" (1118mm)




Eye Level (Model 0340) 59" (1499mm)

CABINETS: How to Configure

3. CHOOSE YOUR DRAWERS:

The drawer model numbers add up to the housing model number, for example:



Model 20 Model 25 Model 30 Model 35 Model 40 Model 45 Model 50 Model 55 Model 60 Model 65 Model 70 Model 75 Model 80 Model 85 Model 90 Model 95 Model 100 Model 105 Model 110 Model 115 Model 120 Model 125 Model 130 Model 135 Model 140 Model 145 Model 150

STANDARD (STD)	USABLE HEIGHT "C"
20	2-1/4″
25	3
30	3-7/8″
35	4-5/8″
40	5-3/8″
45	6-1/4″
50	7″
55	7-3/4″
60	8-1/2 "
65	9-3/8″
70	10-1/8″
75	10-7/8″
80	11-3/4"
85	12-1/2"
90	13-1/4″
95	14-1/4"
100	14-7/8″
105	15-5/8″
110	16-3/8"
115	17-1/4″
120V	18-1/8″
125	18-7/8″
130	19-5/8″
135	20-3/8″
140	21-1/8"
145	21-7/8″
150	22-3/4″

Now you have configured your cabinet. For drawer interiors or accessories go to page 32. For further assistance please contact your local Territory Sales Manager or visit us on the web at STANLEYVidmar.com



Fully Optimized and Organized